| | Cleaner - # S461, S463, S46 | | CDMITAN CIM | . LAL | LAMMADITI.U, | NEACTIVITI-0 | |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------|-------------------------------------------|----------------------------------------------------------------------------------|----------------------|-----------------------------|--------------|--|
| Section I | | | | | | | |
| Manufacturer: Uvex Safety, Inc. | | | Emergency Telephone: 401-232-1200 | | | | |
| Address: 900 Douglas Pike | | | Information Telephone: 800-343-3411 | | | | |
| Smithfield, RI 02917 | | | Date Prepared: 04/23/12 | | | | |
| Section II - Hazardous I | ngredients/Identity Inforn | nation | | | | | |
| Hazardous Components (Specific Chemical Identity; Common Name(s)) | | | OSHA PEL 1 | ACGIH TLV | Other limits recommende | % (optional) | |
| Ethylene Glycol Mono Butyl Ether #111-76-2 | | | 25 PPM TWA (SKIN) | 25 PPM TWA (SKIN) | N/A | <6% | |
| Section III - Physical/Chemical Characteristics | | | | | | | |
| | | | Specific Gravity (H2O=1): 0.98 at 77° F (25° C) | | | | |
| Vapor Pressure (mm Hg.): 22 mm Hg at 70° F (20° C) | | Melting Point: N/A | | | | | |
| Vapor Density (Air = 1) : NOT DETERMINED | | Evaporation Rate (Butyl Acetate = 1): < 1 | | | | | |
| Solubility in Water: 100% | | | | | | | |
| Appearance and Odor: CLEAR TINTED LIQUID WITH A SLIGHT ODOR. | | | | | | | |
| Section IV - Fire and Explosion Hazard Data | | | | | | | |
| Flash Point (Method Used): >212°F | | | Flammable Limits: NOT FLAMMABLE UNDER NORMAL | | LEL: N/A | UEL: N/A | |
| | | CONDITI | ONS OF STORAG | E & USE. | | | |
| Extinguishing Media: 1. WATER FOG OR SPRAY, 2. CARBON DIOXIDE (CO2), 3. DRY CHEMICAL, 4. CLASS B EXTINGUISHERS | | | | | | | |
| Special Fire Fighting Procedures: KEEP FIRE EXPOSED CONTAINERS COOL. WEAR SELF-CONTAINED BREATHING APPARATUS (SCBA) AND FULL PROTECTIVE EQUIPMENT. | | | | | | | |
| Unusual Fire and Explosion Hazards: N/A | | | | | | | |
| Section V - Reactivity Data | | | | | | | |
| itability Unstable: NO Stable: YES | | AVOI | Conditions to Avoid: DO NOT FREEZE, STORE IN COOL AREA. AVOID IGNITION SOURCES. | | | | |
| Incompatibility (Materials to Avoid): STRONG ACIDS, ALKALIES, AND OXIDIZERS. | | | | | | | |
| | rdous Decomposition or Byproducts: NONE | | | | | | |
| Hazardous Polymerization | May Occur: NO Will Not Occur: YES | Conditions to Avoid: NONE | | | | | |
| Section VI - Health Hazard Data | | | | | | | |
| Route(s) of Entry: Inhalation? YES Skin? NO Ingestion? YES | | | | | | | |
| Health Hazards (Acute and Chronic): EYE CONTACT: IN SOME CASES EYE IRRITATION MAY OCCUR. IMMEDIATELY FLUSH WITH A WATER OR EYEWASH SOLUTION AND CONSULT A PHYSICIAN. IN SOME CASES SKIN CONTACT MAY CAUSE IRRITATION, IMMEDIATELY FLUSH WITH SOAP AND WATER, REMOVE CONTAMINATED CLOTHING AND CONSULT A PHYSICIAN. INGESTION: GASTRIC IRRITATION AND VOMITING. DO NOT INDUCE VOMITING, GIVE PLENTY OF WATER AND CONSULT A PHYSICIAN. PREVENT ASPIRATION OF VOMITED MATERIAL INDUCED BY INGESTION OF PRODUCT. | | | | | | | |
| Carcinogenicity: NTP? NO IARC Monographs? NO OSHA Regulated? NO | | | | | | | |
| Signs and Symptoms of Exposure: EYE, SKIN OR GASTRIC IRRITATION, NAUSEA, DIZZINESS, HEADACHE. | | | | | | | |
| Medical Conditions Generally Aggravated by Exposure: NONE KNOWN | | | | | | | |
| Emergency First Aid Procedures: SEEK MEDICAL ATTENTION IF LARGE QUANTITIES ARE SWALLOWED. WASH EXPOSED SKIN THOROUGHLY WITH SOAP & WATER. FLUSH EXPOSED EYES WITH WATER OR EYEWASH SOLUTION FOR AT LEAST 15 MINUTES. SEEK MEDICAL ATTENTION IN ALL CASES. | | | | | | | |
| Section VII - Precautions for Safe Handling and Use | | | | | | | |
| Steps to Be Taken in Case Material is Released or Spilled: IN CASE OF LARGE SPILLS WEAR PROTECTIVE CLOTHING, NEOPRENE GLOVES AND CHEMICAL SPLASH GOGGLES. | | | | | | | |
| Waste Disposal Method: ABSORB WITH SAND OR INERT MATERIAL. THEN REMOVE AND A DISPOSE OF ABSORBED MATERIAL IN AN APPROPRIATE MANNER. Precautions to Be Taken in Handling and Storing: AVOID SKIN & EYE CONTACT. AVOID INHALATION AND INGESTION. WEAR | | | | | | | |
| PROTECTIVE CLOTHING, GLOVELL-VENTILATED AND COOL | /ES AND SAFETY GLASSES WHE AREA. | N A LARGE | SPILL OR SPLAS | | | | |
| Other Precautions: DO NOT FREEZE. STORE IN A COOL, WELL-VENTILATED AREA. | | | | | | | |
| Section VIII - Control Measures Ventilation Local Exhaust: GENERAL AIR CIRCULATION SUFFICIENT FOR NORMAL PRODUCT USE. Special: N/A | | | | | | | |
| | | SUFFICIEN | I FOR NORMAL | PKODUCT USE. | Special: | | |
| | ADEQUATE VENTILATION EQUIRED FOR NORMAL PRODUC | TIISE | Eve Protection | n: NONE PEOU | Other: N IRED FOR NORMAL | | |
| | NONE REQUIRED FOR NORMAL | | | INDIVE REQU | INCO FOR NORMAL | TRODUCT USE. | |
| Work Hygienic Practices: ALWAYS FOLLOW SAFE WORK PRACTICES. | | | | | | | |
| | | | | | | | |