Ve	rsion	5.2
		•••

Revision Date 07/16/2021

Print Date 02/22/2022

SECTION 1. PRODUCT AND COMPANY IDENTIFICATION

Material name	:	ZEP BRAKE WASH	
Material number	:	00000000000050521	
Manufacturer or supplier's d	eta	ils	
Company	:	Zep Inc.	
Address	:	350 Joe Frank Harris Parkway, SE Emerson, GA 30137	
Telephone	:	404-352-1680	

Emergency telephone numbers		
For SDS Information	:	Compliance Services 1-877-428-9937
For a Medical Emergency	:	877-541-2016 Toll Free - All Calls Recorded
For a Transportation	:	CHEMTREC: 800-424-9300 - All Calls Recorded.
Emergency		In the District of Columbia 202-483-7616

Recommended use of the chemical and restrictions on use

SECTION 2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance	liquid	
Colour	clear	
Odour	hydrocarbon-like	

GHS Classification

Flammable liquids Skin irritation Specific target organ toxicity - single exposure Aspiration hazard	 Category 2 Category 2 Category 3 (Central nervous system) Category 1
GHS label elements	
Hazard pictograms	: Flame Health hazard Exclamation mark
Signal word	: Danger
Hazard statements	 H225 Highly flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H315 Causes skin irritation. H336 May cause drowsiness or dizziness.
Precautionary statements	: Prevention:

SAFETY DATA SHEET **ZEP BRAKE WASH** Version 5.2 Revision Date 07/16/2021 Print Date 02/22/2022 P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking. P233 Keep container tightly closed. P240 Ground/bond container and receiving equipment. P241 Use explosion-proof electrical/ventilating/ lighting equipment. P242 Use only non-sparking tools. P243 Take precautionary measures against static discharge. P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray. P264 Wash skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P280 Wear protective gloves/ eye protection/ face protection. Response: P301 + P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor. P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/doctor if you feel unwell. P331 Do NOT induce vomiting. P332 + P313 If skin irritation occurs: Get medical advice/ attention. P362 Take off contaminated clothing and wash before reuse. P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish. Storage: P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P235 Keep cool.

Disposal:

P501 Dispose of contents/container in accordance with local regulation.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name	CAS-No.	Concentration [%]
Naphtha (petroleum), hydrotreated light	64742-49-0	>= 70 - < 90
propan-2-ol	67-63-0	>= 5 - < 10
heptane	142-82-5	>= 1 - < 3

The exact percentages of disclosed substances are withheld as trade secrets.

SECTION 4. FIRST AID MEASURES

General advice

Move out of dangerous area.

Show this safety data sheet to the doctor in attendance.

P BRAKE WASH	_ _		
rsion 5.2	Revision Date 07/16/2021	Print Date 02/22/202	
	Symptoms of poisoning may ap Do not leave the victim unattend		
If inhaled		: If breathed in, move person into fresh air. Remove person to fresh air. If signs/symptoms continue, get medical attention.	
In case of skin contact	 If skin irritation persists, call a p Wash off immediately with plent minutes. Remove contaminated clothing Wash contaminated clothing be 	ty of water for at least 15 and shoes.	
In case of eye contact	 Rinse immediately with plenty of for at least 15 minutes. Remove contact lenses. Protect unharmed eye. If eye irritation persists, consult Keep eye wide open while rinsing 	a specialist.	
If swallowed	: Keep respiratory tract clear. Do NOT induce vomiting. Never give anything by mouth to If symptoms persist, call a phys Take victim immediately to hosp	ician.	
Most important symptoms and effects, both acute and delayed	 Effects are immediate and delay Aspiration may cause pulmonar Symptoms may include central resulting in headache, nausea a Symptoms may include irritation Acute specific target organ toxic on mode of exposure (oral, derr organs and systems affected, a conditions. Symptoms may inc abdominal pain, headache, dizz central nervous system depress and unconsciousness - potentia Effects are dependent on exposision contact time). Causes damage to organs. May be fatal if swallowed and e Causes skin irritation. May cause drowsiness or dizzir Review section 2 of SDS to see 	y oedema and pneumonitis. nervous system depression, and/or dizziness. n, redness, pain, and rash. city effects will differ dependin mal, and inhalation), the nd any preexisting medical clude respiratory difficulty, tiness, drowsiness, vomiting, sion, blurred vision, seizures, illy life threatening. sure (dose, concentration, nters airways.	
Notes to physician	: Treat symptomatically. Sympto	ms may be delayed.	

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media	:	Alcohol-resistant foam Carbon dioxide (CO2) Dry chemical
Unsuitable extinguishing media	:	High volume water jet

Version 5.2	Revision Date 07/16/2021	Print Date 02/22/2022
Specific hazards during firefighting	: Do not allow run-off from fire figl courses.	hting to enter drains or water
Hazardous combustion products Specific extinguishing methods	 Carbon dioxide (CO2) Carbon monoxide Smoke Use extinguishing measures that circumstances and the surround 	
Further information	: Collect contaminated fire extingumust not be discharged into drain Fire residues and contaminated be disposed of in accordance with For safety reasons in case of fire separately in closed containment Use a water spray to cool fully of	ins. fire extinguishing water must ith local regulations. e, cans should be stored its.
Special protective equipment	: In the event of fire, wear self-con	ntained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

for firefighters

Personal precautions, protective equipment and emergency procedures	: Use personal protective equipment. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapours accumulating to form explosive concentrations. Vapours can accumulate in low areas.
Environmental precautions	: Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains, inform respective authorities.
Methods and materials for containment and cleaning up	: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

SECTION 7. HANDLING AND STORAGE

Advice on safe handling	 Avoid formation of aerosol. Do not breathe vapours or spray mist. Avoid exposure - obtain special instructions before use. Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Take precautionary measures against static discharges. Provide sufficient air exchange and/or exhaust in work rooms. Container may be opened only under exhaust ventilation hood.
	Open drum carefully as content may be under pressure.

Version 5.2	Revision Date 07/16/2021	Print Date 02/22/2022
	Dispose of rinse water in accordan regulations.	nce with local and national
Conditions for safe storage	 No smoking. Keep container tightly closed in a oplace. Containers which are opened muskept upright to prevent leakage. Observe label precautions. Electrical installations / working mathematical safety standards 	t be carefully resealed and aterials must comply with
Materials to avoid	: Oxidizing agents Do not freeze.	
Storage temperature	: 5 - 40 °C	

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
propan-2-ol	67-63-0	TWA	200 ppm	ACGIH
		STEL	400 ppm	ACGIH
		TWA	400 ppm 980 mg/m3	NIOSH REL
		ST	500 ppm 1,225 mg/m3	NIOSH REL
		TWA	400 ppm 980 mg/m3	OSHA Z-1
		TWA	400 ppm 980 mg/m3	OSHA P0
		STEL	500 ppm 1,225 mg/m3	OSHA P0
		PEL	400 ppm 980 mg/m3	CAL PEL
		STEL	500 ppm 1,225 mg/m3	CAL PEL
heptane	142-82-5	TWA	85 ppm 350 mg/m3	NIOSH REL
		С	440 ppm 1,800 mg/m3	NIOSH REL
		TWA	500 ppm 2,000 mg/m3	OSHA Z-1
		TWA	400 ppm 1,600 mg/m3	OSHA P0
		STEL	500 ppm 2,000 mg/m3	OSHA P0
		PEL	400 ppm 1,600 mg/m3	CAL PEL
		STEL	500 ppm 2,000 mg/m3	CAL PEL

Version 5.2

Revision Date 07/16/2021

Print Date 02/22/2022

	TWA	400 ppm	ACGIH
	STEL	500 ppm	ACGIH

Biological occupational exposure limits

Component	CAS-No.	Control	Biological	Sampling	Permissible	Basis
		parameters	specimen	time	concentration	
PROPAN-2-OL	67-63-0	Acetone	Urine	End of	40 mg/l	ACGIH BEI
				shift at		
				end of		
				workwee		
				k		

Engineering measures : effective ventilation in all processing areas

Personal protective equipment

Respiratory protection	:	Use respiratory protection unless adequate local exhaust ventilation is provided or exposure assessment demonstrates that exposures are within recommended exposure guidelines.
Hand protection Material Remarks		Protective gloves Skin should be washed after contact. For prolonged or repeated contact use protective gloves. The suitability for a specific workplace should be discussed with the producers of the protective gloves.
Eye protection	:	Ensure that eyewash stations and safety showers are close to the workstation location. Tightly fitting safety goggles Wear face-shield and protective suit for abnormal processing problems.
Skin and body protection	:	Impervious clothing Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Hygiene measures	:	When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Colour: clearOdour: hydrocarbon-likeOdour Threshold: No data availablepH: Not applicableMelting point/freezing point: No data available	Appearance	:	liquid
Odour Threshold: No data availablepH: Not applicable	Colour	:	clear
pH : Not applicable	Odour	:	hydrocarbon-like
	Odour Threshold	:	No data available
Melting point/freezing point : No data available	рН	:	Not applicable
	Melting point/freezing point	:	No data available

Version 5.2	Revision Date 07/16/2021	Print Date 02/22/2022
Boiling point	: 64 °C	
Flash point	: -18 °C Method: TCC	
Evaporation rate	: No data available	
	No data available	
Upper explosion limit	: 11.6 %(V)	
Lower explosion limit	: 1.2 %(V)	
Vapour pressure	: 178.65 hPa (20 °C)	
Relative vapour density	: No data available	
Density	: 0.7 g/cm3	
Bulk density	: No data available	
Solubility(ies)		
Water solubility	: insoluble	
Solubility in other solvents	: insoluble	
Partition coefficient: n- octanol/water	: No data available	
Auto-ignition temperature	: not determined	
Thermal decomposition	: No data available	
Viscosity		
Viscosity, dynamic	: No data available	
Viscosity, kinematic	: No data available	

SECTION 10. STABILITY AND REACTIVITY

Reactivity	: Stable
Chemical stability	: Stable under normal conditions.
Possibility of hazardous reactions	: Vapours may form explosive mixture with air.
Conditions to avoid	: Heat, flames and sparks. Extremes of temperature and direct sunlight.
Incompatible materials	: Oxidizing agents
Hazardous decomposition products	: Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).

Version 5.2

Revision Date 07/16/2021

SECTION 11. TOXICOLOGICAL INFORMATION

Potential Health Effects

Aggravated Medical Condition	: None known.
Symptoms of Overexposure	 Effects are immediate and delayed. Aspiration may cause pulmonary oedema and pneumonitis. Symptoms may include central nervous system depression, resulting in headache, nausea and/or dizziness. Symptoms may include irritation, redness, pain, and rash. Acute specific target organ toxicity effects will differ depending on mode of exposure (oral, dermal, and inhalation), the organs and systems affected, and any preexisting medical conditions. Symptoms may include respiratory difficulty, abdominal pain, headache, dizziness, drowsiness, vomiting, central nervous system depression, blurred vision, seizures, and unconsciousness - potentially life threatening. Effects are dependent on exposure (dose, concentration, contact time). Causes damage to organs. May be fatal if swallowed and enters airways. Causes skin irritation. May cause drowsiness or dizziness. Review section 2 of SDS to see all potential hazards. Treat symptomatically. Symptoms may be delayed.
Carcinogenicity:	
IARC	No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC. No component of this product present at levels greater than or
	equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
OSHA NTP	No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens. No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
Acute toxicity	
Product:	
Acute oral toxicity	: Acute toxicity estimate : > 5,000 mg/kg Method: Calculation method
Components:	
propan-2-ol: Acute oral toxicity	: LD50 Oral Rat: 4,396 mg/kg Method: Calculation method

Version 5.2

Revision Date 07/16/2021

Print Date 02/22/2022

heptane:

Acute inhalation toxicity	: LC50 Rat: 103 mg/l
-	Exposure time: 4 h

Skin corrosion/irritation

Product:

Remarks: Irritating to skin.

Serious eye damage/eye irritation

Product:

Remarks: Vapours may cause irritation to the eyes, respiratory system and the skin.

Respiratory or skin sensitisation

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available

Aspiration toxicity

No data available

Further information

Product:

Remarks: No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Version 5.2	Revision Date 07/16/2021	Print Date 02/22/2022
Bioaccumulative potential		
Product:		
Partition coefficient: n- octanol/water <u>Components:</u> propan-2-ol:	: Remarks: No data available	
Partition coefficient: n- octanol/water heptane :	: log Pow: 0.05	
Partition coefficient: n- octanol/water	: log Pow: 5	
Mobility in soil		
No data available		
Other adverse effects		
No data available <u>Product:</u>		
Regulation	40 CFR Protection of Environme Stratospheric Ozone - CAA Sec Substances	
Remarks	This product neither contains, n with a Class I or Class II ODS a Clean Air Act Section 602 (40 C + B).	s defined by the U.S.
Additional ecological information	: An environmental hazard canno event of unprofessional handling to aquatic life., May cause long aquatic life.	g or disposal., Very toxic

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods	
Waste from residues	 The product should not be allowed to enter drains, water courses or the soil. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of in accordance with local regulations.
Contaminated packaging	 Empty remaining contents. Dispose of as unused product. Do not re-use empty containers. Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

Transportation Regulation: 49 CFR (USA):

Version 5.2

Revision Date 07/16/2021

Print Date 02/22/2022

UN1993, Flammable liquids, n.o.s., (HEPTANE, ISOPROPANOL), 3, II

Transportation Regulation: IMDG (Vessel): UN1993, FLAMMABLE LIQUID, N.O.S., (HEPTANE, ISOPROPANOL), 3, II

Transportation Regulation: IATA (Cargo Air): UN1993, Flammable liquid, n.o.s., (HEPTANE, ISOPROPANOL), 3, II

Transportation Regulation: IATA (Passenger Air): UN1993, Flammable liquid, n.o.s., (HEPTANE, ISOPROPANOL), 3, II

Transportation Regulation: TDG (Canada): UN1993, FLAMMABLE LIQUID, N.O.S., (HEPTANE, ISOPROPANOL), 3, II

The product as delivered to the customer conforms to packaging requirements for shipment by road under US Department of Transportation (DOT) regulations. Additional transportation classifications noted above are for reference only, and not a certification or warranty of the suitability of the packaging for shipment under these alternative transport regulations.

SECTION 15. REGULATORY INFORMATION

TSCA list

: No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards	:	Flammable (gases, aerosols, liquids, or solids) Skin corrosion or irritation Specific target organ toxicity (single or repeated exposure) Aspiration hazard
SARA 302	:	No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.
SARA 313	:	This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.
California Bran. 65		

California Prop. 65

Version 5.2

Revision Date 07/16/2021

Print Date 02/22/2022



WARNING: This product can expose you to chemicals including naphthalene, cumene, ethylbenzene, benzene, which is/are known to the State of California to cause cancer, and toluene, benzene, which is/are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

The components of this product are reported in the following inventories:

DSL	All components of this product are on the Canadian DSL
TSCA	On TSCA Inventory

For information on the country notification status for other regions please contact the manufacturer's regulatory group.

Inventory Acronym and Validity Area Legend:

TSCA (USA), DSL (Canada), NDSL (Canada)

SECTION 16. OTHER INFORMATION

Version 5.2

Revision Date 07/16/2021

Print Date 02/22/2022

Further information

NFPA:



0 = not significant, 1 = Slight,

2 = Moderate, 3 = High


4 = Extreme

HMIS III:

HEALTH	3
FLAMMABILITY	3
PHYSICAL HAZARD	0

0 = not significant, 1 = Slight,

- 2 = Moderate, 3 = High
- 4 = Extreme, * = Chronic



Version 5.2

Revision Date 07/16/2021

and wash before reuse. In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage : Store in a w ell-ventilated place. Keep container tightly closed. Keep cool. **Disposal:** Dispose of contents/container in accordance with local regulation.

Version:	5.2
Revision Date:	07/16/2021
Print Date:	02/22/2022

We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind. The information in this document applies to this specific material as supplied. It may not be valid for this material if it is used in combination with any other materials. Users should make their own investigations to determine the suitability and applicability of the information for their particular purposes. This SDS has been prepared by the Compliance Services organization supporting this manufacturer, supplier or distributor.