

# SAFETY DATA SHEET

(HCS) 29 CFR 1910.1200

**CONFORMS TO OSHA HAZARD COMMUNICATION STANDARD** 

Page 1 of 4

**Revision Date** 3/3/2016 **Supersedes Date** 3/2/2016

#### **SECTION 1. IDENTIFICATION**

**Product identifier:** JAX Magna-Plate 800-1

08001 Part number:

**Identified uses:** Lubricant where there is no possibility of contact with food

**Uses advised against:** Not for use where there is the possibility of contact with food. Other uses advised against may be specified elsewhere in this

SDS.

JAX INC. Supplier:

> W134 N5373 Campbell Drive Menomonee Falls, WI 53051 USA

info@jax.com **Email contact:** 

Non-emergency Phone: 262-781-8850 Fax: 262-781-3906

contact:

**Emergency telephone:** INFOTRAC:

> North America 1-800-535-5053 Australia 1-300-366-961 Germany 0800-181-2926

International 011-1-352-323-3500 (collect) China 400-120-0761

## **SECTION 2. HAZARD(S) IDENTIFICATION**

Classification: Skin Sensitization Cat. 1A

**Label elements** 

Pictograms:



Warning Signal word:

**Hazard statements:** May cause an allergic skin reaction.

**Precautionary** statements:

Avoid breathing dust/fume/gas/mist/vapors/spray. Contaminated work clothing should not be allowed out of the workplace. Wear protective gloves. IF ON SKIN: Wash with plenty of soap and water If skin irritation or rash occurs: Get

medical advice/attention. Wash contaminated clothing before reuse. Dispose of contents/ container to an approved waste

disposal plant.

Hazards not otherwise Not applicable.

classified:

Additional information: Not applicable.

#### **SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS**

Composition:	<u>Chemical name</u>	<u>%</u>	CAS#	<u>Impurities</u>
	Molybdenum disulfide	1-5	1317-33-5	None
	2,5-bis(n-octyldithio)-1,3,4-thiadiazole	<1	13539-13-4	None

### **SECTION 4. FIRST-AID MEASURES**

First aid measures

Eve contact: Remove contact lenses, if wearing, and flush eyes with water for at least 15 minutes or until irritation subsides. If irritation

persists, consult a physican.

Skin contact: Remove clothing and shoes, if contaminated. Wash skin with soap and water. Wash or clean contaminated clothing before

reuse and discard oil-soaked shoes. If irritation persists, consult a physician.

Ingestion: If swallowed, DO NOT induce vomiting. As a precaution, give the person a glass of water to drink and seek medical attention.

Never give anything by mouth to an unconscious person. Consult a physician.

Inhalation: Remove to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention

immediately.

Most important No further relevant information available.

symptoms and effects, both acute and delayed:

No further relevant information available.

immediate medical attention and special treatment available:

Indication of any

Page 2 of 4

**Revision Date Supersedes Date** 

3/3/2016 3/2/2016

**General information:** Medical condition aggravated by exposure: Dermatitis.

**SECTION 5. FIRE-FIGHTING MEASURES** 

Suitable extinguishing

Carbon dioxide (CO2), dry chemical or water spray. Fight larger fires with water spray or alcohol resistant foam.

**Unsuitable** 

**Specific hazards:** 

media:

Do not use direct stream of water.

extinguishing media:

Pressure build-up due to heat exposure may cause containers to rupture. Use water spray to keep containers cool.

Advice for firefighters:

Firefighters should wear full protective gear, including helmet. Use supplied-air breathing equipment for enclosed or confined

space or as otherwise needed.

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

Personal precautions, protective equipment and emergency

In the event of a spill or accidental release, notify relevant authorities in accordance with all applicable regulations. Keep away from ignition sources. Wear protective equipment. Keep unprotected persons away.

**Environmental** precautions:

procedures:

Prevent entry into sewers, waterways or confined areas by diking or impounding. Dike far ahead of spill for later recovery and disposal. Advise authorities if the product has entered or may enter sewers, watercourses, or extensive land areas.

Methods for containment and cleaning up

Land spill: Stop leak if you can do so without risk. Recover free product using non-sparking tools. Add sand, earth, or other suitable absorbent material to the spill area. Recover by pumping or with suitable absorbents. Dispose of in accordance with national and/or local regulations relating to waste disposal.

Water spill: Stop leak if you can do so without risk. Confine the spill immediately with booms. Remove from the surface by skimming or with suitable absorbents. Seek the advice of a specialist before using dispersants.

### **SECTION 7. HANDLING AND STORAGE**

**Precautions for safe** handling:

Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. In case of insufficient ventilation, wear suitable respiratory equipment. Do not breathe vapors or spray mist. Wear personal protective equipment. Avoid contact with skin and eyes. Wash thoroughly after handling.

**Conditions for safe** storage, including any incompatibilities:

Store in a cool, dry place in tightly sealed containers. Store out of direct sunlight. Do not store near heat, sparks, open flame, pilot lights, static electricity, or other sources of ignition. Do not store where temperature may exceed 49°C (120°F). Store away from oxidizing agents. Rotate stock.

## **SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

Workplace exposure

Chemical name

**Exposure limit and source** 

limits: Molybdenum disulfide

Short-term value = 20 mg/m³, as Mo Long-term value = 10 mg/m³, as Mo

15 mg/m³, OSHA TWA 2,5-bis(n-octyldithio)-1,3,4-thiadiazole

**Exposure controls** 

**Engineering controls:** 

Provide exhaust ventilation or other engineering controls to keep the airborne concentration of vapors below their respective

occupational exposure limits.

Ventilation: Use in a well-ventilated area. See Engineering Controls.

Personal hygiene: Wash skin thoroughly after contact, before breaks and meals and at the end of the work period. Product is readily removed

from skin by waterless hand cleaners followed by washing thoroughly with soap and water.

Eye protection: Chemical splash goggles or face shield in compliance with OSHA regulations are advised when eye contact may occur.

Hand protection: Any lined non-permeable rubber gloves.

Respiratory protection: Use with adequate ventilation. Respiratory protective equipment is not normally required where there is adequate natural or

local exhaust ventilation to control exposure. In case of insufficient ventilation, wear suitable respiratory equipment. A

NIOSH/MSHA-approved air-supplied respirator is advised in absence of proper environmental control.

### **SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Black semi-solid with bland odor **Upper flammability limit:** Appearance / odor:

Not available

Nil

Lower flammability limit: Not available

Semi-solid **Physical state:** Vapor pressure:

Odor threshold: Not available Vapor density:

Not available pH: Not available

Melting / freezing point: Not available

Page 3 of 4 JAX Magna-Plate 800-1

**Revision Date** 

3/3/2016 3/2/2016 **Supersedes Date** 

Initial boiling point

Not available

Not available

Not applicable

and boiling range:

**Evaporation rate:** 

Flammability (solid, gas):

**Solubility in water:** Nil

Flash point: 450°F (232°C), ASTM D 92 **Partition coefficient** 

Relative density:

Not available

LC<sub>50</sub>

0.88 (typical)

(n-octanol/water):

**Autoignition temperature:** Not available

**Decomposition temperature:** Not available

Viscosity: 68 cSt @ 40°C

#### **SECTION 10. STABILITY AND REACTIVITY**

Reactivity: Not reactive under normal conditions. Stable under recommended conditions. **Chemical stability:** 

Possibility of

Hazardous reactions are not expected to occur.

hazardous reactions:

**Conditions and** materials to avoid:

Keep away from sparks and open flames. Avoid contact with strong oxidizers.

Hazardous decomposition products:

Carbon oxides. Nitrogen oxides (NOx). Oxides of phosphorus. Sulphur oxides.

#### **SECTION 11. TOXICOLOGICAL INFORMATION**

#### Information on likely routes of exposure

Eye contact: Contact with eyes may cause irritation. Skin contact: May cause an allergic skin reaction. Inhalation: May cause irritation of respiratory tract.

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhea. Ingestion:

Components LD<sub>50</sub> Component

information: Molybdenum disulfide Not available Not available

> 2,5-bis(n-octyldithio)-1,3,4-thiadiazole Not available Not available

## Information on physical, chemical and toxicological effects

Symptoms: See Section 4 of this SDS for symptoms.

#### Delayed and immediate effects, and chronic effects, from short and long-terms exposure

Effects: No further relevant information available.

Carcinogenicity: This product does not contain a carcinogen or potential carcinogen as listed by NTP or IARC.

Numerical measures of

toxicity:

Not determined

#### **SECTION 12. ECOLOGICAL INFORMATION**

**Ecotoxicity:** Not available. 11.0858% of the mixture consists of components(s) of unknown hazards to the aquatic environment.

L(E)C<sub>50</sub> Component Components

> Molybdenum disulfide Not available 2,5-bis(n-octyldithio)-1,3,4-thiadiazole Not available

Persistence and

degradability:

information:

Not determined

**Bioaccumulative** 

Not determined

potential:

**Mobility in soil:** Not available Other adverse effects: Not determined

# **SECTION 13. DISPOSAL CONSIDERATIONS**

**Waste treatment** 

Disposal must be in accordance with current applicable laws and regulations, and material characteristics at time of disposal.

methods: Consult national or regional authorities for proper disposal and reporting procedures.

Page 4 of 4 JAX Magna-Plate 800-1

**Revision Date Supersedes Date**  3/3/2016 3/2/2016

#### **SECTION 14. TRANSPORTATION INFORMATION**

Dangerous goods descriptions may not reflect package size, quantity, end-use or region-specific exceptions that can be applied to shipments. Consult shipping documents for material-specific descriptions.

77 0	Proper Shipping Name:	<u>UN Number</u> :	Hazard <u>Class:</u>	Packing <u>Group:</u>	Remarks:
U.S. D.O.T.	Not regulated	None	None	None	None
ADR/RID	Not regulated	None	None	None	None
<u>IMDG</u>	Not regulated	None	None	None	None
<u>IATA</u>	Not regulated	None	None	None	None

#### SECTION 15. REGULATORY INFORMATION

## **U.S. Federal Regulations**

SARA Section 302 **Extremely Hazardous** Substances:

This product contains greater than 1.0% of the following chemical(s) on the SARA Extremely Hazardous Substances List:

None

**SARA Section 304 CERCLA Hazardous**  Release of the following chemical(s) at quantities equal to or greater than the reportable quantities (RQ), is subject to

reporting to the National Response Center under CERCLA:

Substances:

SARA Section 313 Toxic This product contains the following chemical(s) listed in Section 313 at or above the de minimis concentrations:

Chemicals: Zinc compounds, present at 0.5%

TSCA Inventory: All components of this material are on the U.S. TSCA Inventory.

**U.S. State Regulations** 

California Proposition

65 Status:

This product may contain chemical(s) known to the State of California to cause birth defects or other reproductive harm.

California Silica, di-n-butyl phthalate.

**Proposition 65 Listed Components:** 

## **International Regulations**

Canada: This product has been classified in accordance with the hazard criteria of WHMIS 2015 and the SDS contains all of the

information required by those regulations.

Japan MITI: Not available Australia: Not available Switzerland: Not available

#### **SECTION 16. OTHER INFORMATION**

**Sections Revised:** New SDS format

3/3/2016 **Revision Date:** 

The information and recommendations contained herein are, to the best of JAX INC.'s knowledge and belief, accurate and reliable as of the date issued. JAX INC. makes no warranty or guarantee, expressed or implied, of their accuracy or reliability, and JAX INC. shall not be liable for any loss or damage based upon the criteria supplied by the developers of these rating systems, together with JAX INC.'s interpretation of the available data.