



Print Date: 4/18/2012

MSDS Number: 000000084992

Version: 1.3

WINDSHIELD WASH CONCENTRATE

16008285

1. IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Nexeo Solutions

Regulatory Information Number

1-800-325-3751

PO Box 2458

Telephone

1-800-531-7106

Columbus, OH 43216

Emergency telephone number

1-855-639-3648

Product name

WINDSHIELD WASH CONCENTRATE

Product code

16008285

Product Use Description

No data

2. HAZARDS IDENTIFICATION

Emergency Overview

Appearance: liquid

WARNING! FLAMMABLE LIQUID AND VAPOR. MAY AFFECT THE CENTRAL NERVOUS SYSTEM CAUSING DIZZINESS, HEADACHE OR NAUSEA. MAY BE HARMFUL IF INHALED. HARMFUL IF SWALLOWED. MAY CAUSE BLINDNESS. PROLONGED OR REPEATED CONTACT MAY DRY THE SKIN AND CAUSE IRRITATION AND BURNS.

Potential Health Effects

Exposure routes

Inhalation, Skin absorption, Skin contact, Eye Contact, Ingestion

Eye contact

May cause mild eye irritation. Symptoms include stinging, tearing, and redness.

Skin contact

May cause mild skin irritation. Symptoms may include redness and burning of skin. Prolonged or repeated contact may dry the skin. Symptoms may include redness, burning, and drying and cracking of skin, skin burns, and other skin damage.

Ingestion

Swallowing this material may be harmful.





Print Date: 4/18/2012

MSDS Number: 000000084992

Version: 1.3

WINDSHIELD WASH CONCENTRATE 16008285

Inhalation

Breathing of vapor or mist is possible. Breathing small amounts of this material during normal handling is not likely to cause harmful effects. Breathing large amounts may be harmful. Symptoms are not expected at air concentrations below the recommended exposure limits, if applicable (see Section 8.).

Aggravated Medical Condition

Preexisting disorders of the following organs (or organ systems) may be aggravated by exposure to this material:, Skin, lung (for example, asthma-like conditions), Liver, Kidney, Central nervous system, pancreas, Heart, Exposure to this material may aggravate any preexisting condition sensitive to a decrease in available oxygen, such as chronic lung disease, coronary artery disease or anemias.

Symptoms

Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:, stomach or intestinal upset (nausea, vomiting, diarrhea), irritation (nose, throat, airways), central nervous system depression (dizziness, drowsiness, weakness, fatigue, nausea, headache, unconsciousness), muscle cramps, pain in the abdomen and lower back, Blurred vision, Shortness of breath, cyanosis (causes blue coloring of the skin and nails from lack of oxygen), visual impairment (including blindness), coma

Target Organs

Exposure to lethal concentrations of methanol has been shown to cause damage to organs including liver, kidneys, pancreas, heart, lungs and brain. Although this rarely occurs, survivors of severe intoxication may suffer from permanent neurological damage., Overexposure to this material (or its components) has been suggested as a cause of the following effects in laboratory animals:, liver abnormalities, central nervous system damage, Overexposure to this material (or its components) has been suggested as a cause of the following effects in humans:, visual impairment

Carcinogenicity

This material is not listed as a carcinogen by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP), or the Occupational Safety and Health Administration (OSHA).

Reproductive hazard

Methanol has caused birth defects in laboratory animals, but only when inhaled at extremely high vapor concentrations. The relevance of this finding to humans is uncertain.





Print Date: 4/18/2012

MSDS Number: 000000084992

Version: 1.3

WINDSHIELD WASH CONCENTRATE 16008285

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ComponentsCAS-No.ConcentrationMETHANOL67-56-1>=80-<90%</td>

4. FIRST AID MEASURES

Eyes

If symptoms develop, move individual away from exposure and into fresh air. Flush eyes gently with water while holding eyelids apart. If symptoms persist or there is any visual difficulty, seek medical attention.

Skin

Remove contaminated clothing. Wash exposed area with soap and water. If symptoms persist, seek medical attention. Launder clothing before reuse.

Ingestion

Seek medical attention. If individual is drowsy or unconscious, do not give anything by mouth; place individual on the left side with the head down. Contact a physician, medical facility, or poison control center for advice about whether to induce vomiting. If possible, do not leave individual unattended.

Inhalation

If symptoms develop, immediately move individual away from exposure and into fresh air. Seek immediate medical attention; keep person warm and quiet. If person is not breathing, begin artificial respiration. If breathing is difficult, administer oxygen.

Notes to physician

Hazards: This product contains methanol which can cause intoxication and central nervous system depression. Methanol is metabolized to formic acid and formaldehyde. These metabolites can cause metabolic acidosis, visual disturbances and blindness. Since metabolism is required for these toxic symptoms, their onset may be delayed from 6 to 30 hours following ingestion. Ethanol competes for the same metabolic pathway and has been used to prevent methanol metabolism. Ethanol administration is indicated in symptomatic patients or at blood methanol concentrations above 20 ug/dl. Methanol is effectively removed by hemodialysis.





Print Date: 4/18/2012

MSDS Number: 000000084992

Version: 1.3

WINDSHIELD WASH CONCENTRATE 16008285

Treatment: No information available.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media

Dry chemical, Carbon dioxide (CO2), Water spray

Hazardous combustion products

carbon dioxide and carbon monoxide

Precautions for fire-fighting

Material is volatile and readily gives off vapors which may travel along the ground or be moved by ventilation and ignited by pilot lights, flames, sparks, heaters, smoking, electric motors, static discharge or other ignition sources at locations near the material handling point. Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite explosively. Wear full firefighting turn-out gear (full Bunker gear), and respiratory protection (SCBA). Water may be ineffective for extinguishment unless used under favorable conditions by experienced fire fighters. Use water spray to cool fire exposed containers and structures until fire is out if it can be done with minimal risk. Avoid spreading burning material with water used for cooling purposes.

NFPA Flammable and Combustible Liquids Classification

Flammable Liquid Class IB

6. ACCIDENTAL RELEASE MEASURES

Personal precautions

For personal protection see section 8. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Ensure adequate ventilation. Eliminate all ignition sources (flares, flames including pilot lights, electrical sparks). Pay attention to the spreading of gases especially at ground level (heavier than air) and to the direction of the wind.

Environmental precautions

Prevent spreading over a wide area (e.g. by containment or oil barriers). Do not let product enter drains. Do not flush into surface water or sanitary sewer system. Local authorities should be advised if significant spillages cannot be contained.

Methods for cleaning up





Print Date: 4/18/2012 MSDS Number: 000000084992

Version: 1.3

WINDSHIELD WASH CONCENTRATE 16008285

Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations (see section 13).

Other information

Comply with all applicable federal, state, and local regulations. Suppress (knock down) gases/vapours/mists with a water spray jet.

7. HANDLING AND STORAGE

Handling

Containers of this material may be hazardous when emptied. Since emptied containers retain product residues (vapor, liquid, and/or solid), all hazard precautions given in the data sheet must be observed. Ethylene oxide may accumulate in the headspace of shipping and storage containers and in enclosed areas where the product is being handled or used. Ethylene oxide is listed as carcinogenic by the International Agency for Research on Cancer (IARC), the National Toxicology Program (NTP) and the Occupational Safety and Health Administration (OSHA). Static ignition hazard can result from handling and use. Electrically bond and ground all containers, personnel and equipment before transfer or use of material. Special precautions may be necessary to dissipate static electricity for non-conductive containers. Use proper bonding and grounding during product transfer as described in National Fire Protection Association document NFPA 77.

Storage

Store in a cool, dry, ventilated area, away from incompatible substances.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

METHANOL		67-56-1
ACGIH	time weighted average	200 ppm
ACGIH	Short term exposure limit	250 ppm
NIOSH	Recommended exposure limit (REL):	200 ppm
NIOSH	Recommended exposure limit (REL):	260 mg/m3
NIOSH	Short term exposure limit	250 ppm
NIOSH	Short term exposure limit	325 mg/m3
OSHA Z1	Permissible exposure limit	200 ppm



Print Date: 4/18/2012

MSDS Number: 000000084992

Version: 1.3

WINDSHIELD WASH CONCENTRATE 16008285

OSHA Z1

Permissible exposure limit

260 mg/m3

General advice

These recommendations provide general guidance for handling this product. Personal protective equipment should be selected for individual applications and should consider factors which affect exposure potential, such as handling practices, chemical concentrations and ventilation. It is ultimately the responsibility of the employer to follow regulatory guidelines established by local authorities.

Exposure controls

Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects. This product may contain small amounts of ethylene oxide which could potentially accumulate in the headspace of shipping and storage containers and in enclosed areas where the product is being handled or used. Provide adequate ventilation to control exposures to within the OSHA permissible exposure limits of 1 ppm (TWA) and 5 ppm (STEL).

Eye protection

Not required under normal conditions of use. Wear splash-proof safety goggles if material could be misted or splashed into eyes.

Skin and body protection

Wear normal work clothing including long pants, long-sleeved shirts and foot covering to prevent direct contact of the product with the skin. Launder clothing before reuse. If skin irritation develops, contact your facility health and safety professional or your local safety equipment supplier to determine the proper personal protective equipment for your use.

Wear resistant gloves (consult your safety equipment supplier).

Respiratory protection

A NIOSH-approved air-purifying respirator with an appropriate cartridge and/or filter may be permissible under certain circumstances where airborne concentrations are expected to exceed exposure limits (if applicable) or if overexposure has otherwise been determined. Protection provided by air-purifying respirators is limited. Use a positive pressure, air-supplied respirator if there is any potential for uncontrolled release, exposure levels are not known or any other circumstances where an air-purifying respirator may not provide adequate protection.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical state

liquid

Page: 7



SAFETY DATA SHEET

Revision Date: 06/15/2011

Print Date: 4/18/2012

MSDS Number: 000000084992

Version: 1.3

WINDSHIELD WASH CONCENTRATE 16008285

Form Colour Odour

Boiling point/boiling range

Melting point/range Sublimation point

pН

Flash point

Ignition temperature Evaporation rate

Lower explosion limit/Upper explosion limit

Particle size Vapour pressure

Relative vapour density

Density

Bulk density
Water solubility
Solubility(ies)

Partition coefficient: n-octanol/water

log Pow

Autoignition temperature Viscosity, dynamic Viscosity, kinematic Solids in Solution

Decomposition temperature Burning number

Dust explosion constant Minimum ignition energy no data available no data available no data available

148.5 °F / 64.7 °C @ 1,013.23 hPa Calculated

Phase Transition Liquid/Gas

no data available no data available no data available

(>=)54 °F / 12 °C Closed Cup

no data available no data available

7.3 %(V) / 36 %(V) Calculated Explosive Limit

no data available

169.316 hPa @ 77 °F / 25 °C Calculated Vapor

Pressure

no data available 0.808 g/cm3

no data available

>=6.73 lb/gal @ 68 °F / 20 °C

No data

no data available no data available

10. STABILITY AND REACTIVITY

Stability

Stable.

Conditions to avoid





SAFETY DATA SHEET

Revision Date: 06/15/2011

Print Date: 4/18/2012

MSDS Number: 000000084992

Version: 1.3

WINDSHIELD WASH CONCENTRATE 16008285

Heat, flames and sparks.

Incompatible products

aluminum, Lead, sodium, Strong acids, strong bases, Strong oxidizing agents, Zinc, Peroxides

Hazardous decomposition products

carbon dioxide and carbon monoxide, formaldehyde

Hazardous reactions

Product will not undergo hazardous polymerization.

Thermal decomposition

No data

11. TOXICOLOGICAL INFORMATION

Acute oral toxicity

METHANOL

LD L0 Human: 300 mg/kg

Acute inhalation toxicity

METHANOL

: LC 50 Rat: 64000 ppm; 4 h

Acute dermal toxicity

METHANOL

: LD 50

Rabbit:

12,800 mg/kg

12. ECOLOGICAL INFORMATION

Biodegradability

METHANOL

99 %

Exposure time: 28 d

Method: OECD Test Guideline 301D

Bioaccumulation

Page 8 / 12





SAFETY DATA SHEET

Revision Date: 06/15/2011

Print Date: 4/18/2012

MSDS Number: 000000084992

Version: 1.3

WINDSHIELD WASH CONCENTRATE 16008285

METHANOL

: Species: Green algae (Chlorella fusca vacuolata)

Exposure time: 24 h Dose: 0.05 mg/l

Bioconcentration factor (BCF): 28,400

Method: Static

Ecotoxicity effects

Toxicity to fish

METHANOL

96 h static test LC 50 Rainbow trout, donaldson trout

(Oncorhynchus mykiss): 18,000.00 - 20,000.00 mg/l

Toxicity to daphnia and other aquatic invertebrates.

METHANOL

: 48 h static test EC 50 Water flea (Daphnia magna): >

10,000.00 mg/l

Toxicity to algae

METHANOL

: no data available

Toxicity to bacteria

METHANOL

: no data available

Biochemical Oxygen Demand (BOD)

METHANOL

no data available

Chemical Oxygen Demand (COD)

METHANOL

: no data available

Additional ecological information

METHANOL

no data available

13. DISPOSAL CONSIDERATIONS

Waste disposal methods

For assistance with your waste management needs - including disposal, recycling and waste stream reduction, contact NEXEO's Environmental Services Group at 800-637-7922.

Dispose of in accordance with all applicable local, state and federal regulations.

Page: 10



SAFETY DATA SHEET

Revision Date: 06/15/2011

Print Date: 4/18/2012

MSDS Number: 000000084992

Version: 1.3

WINDSHIELD WASH CONCENTRATE 16008285

14. TRANSPORT INFORMATION						
DECIII	ATIO	XT				
ID	LATIO	PROPER SHIPPING NAME	*HAZARD	SUBSIDIARY	PACKING	MARINE
NUME	DED	PROPER SHIPPING NAME	CLASS	HAZARDS	GROUP	POLLUTANT
NOME	DEK		CLASS	HAZAKDS	GROUP	/ LTD. QTY.
U.S. DO	T - RO	AD			<u> </u>	7 B1b. Q11.
UN	1992	Flammable liquids, toxic, n.o.s. (METHANOL)	3	(6.1)	II	
II G D	T D.	TT				
UN	DT - RA 1992	Flammable liquids, toxic, n.o.s.	3	(6.1)	II	
UN	1992	(METHANOL)	3	(0.1)	11	
-		· · · · · · · · · · · · · · · · · · ·				
		LAND WATERWAYS				
UN	1992	Flammable liquids, toxic, n.o.s. (METHANOL)	3	(6.1)	II	
		(WETTANOL)				
TRANS	SPORT	CANADA - ROAD				
UN	1992	FLAMMABLE LIQUID,	3	(6.1)	II	
		TOXIC, N.O.S. (METHANOL)				
		CANADA - RAIL				
UN	1992	FLAMMABLE LIQUID,	3	(6.1)	Π	
		TOXIC, N.O.S. (METHANOL)				
TDANG	TOODS	CANADA - INLAND WATERW	AVC			
UN	1992	FLAMMABLE LIQUID,	3	(6.1)	II	
ON	1992	TOXIC, N.O.S. (METHANOL)	3	(0.1)	11	
		TOXIC, N.O.S. (METHANOE)				
INTER	NATIO	NAL MARITIME DANGEROU	S GOODS			
UN	1992	FLAMMABLE LIQUID,	3	(6.1)	II	
		TOXIC, N.O.S. (METHANOL)		. ,		
***			~			
		NAL AIR TRANSPORT ASSOC			**	
UN	1992	FLAMMABLE LIQUID,	3	(6.1)	II	
		TOXIC, N.O.S. (METHANOL)				

INTERNATIONAL AIR TRANSPORT ASSOCIATION - PASSENGER

Page: 11



SAFETY DATA SHEET

Revision Date: 06/15/2011

Print Date: 4/18/2012

MSDS Number: 000000084992

Version: 1.3

WINDSHIELD WASH CONCENTRATE 16008285

UN	1992	FLAMMABLE LIQUID,	3	(6.1)	II	
		TOXIC, N.O.S. (METHANOL)				

MEXICAN REGULATION FOR THE LAND TRANSPORT OF HAZARDOUS MATERIALS AND WASTES

UN	1992	LIQUIDO INFLAMABLE,	3	(6.1)	II	=
		TOXICO, N.E.P. (METHANOL)				

^{*}ORM = ORM-D, CBL = COMBUSTIBLE LIQUID

Dangerous goods descriptions (if indicated above) may not reflect quantity, end-use or region-specific exceptions that can be applied. Consult shipping documents for descriptions that are specific to the shipment.

15. REGULATORY INFORMATION

California Prop. 65

WARNING! This product contains a chemical known to the State	1,4-DIOXANE
of California to cause cancer.	ETHYLENE OXIDE
WARNING! This product contains a chemical known to the State	ETHYLENE OXIDE
of California to cause birth defects or other reproductive harm.	

SARA Hazard Classification

Fire Hazard Acute Health Hazard Chronic Health Hazard

SARA 313 Component(s)

METHANOL

87.70 %

New Jersey RTK Label Information

METHANOL 67-56-1 WATER 7732-18-5

Pennsylvania RTK Label Information

METHANOL 67-56-1 WATER 7732-18-5





SAFETY DATA SHEET

Revision Date: 06/15/2011

Print Date: 4/18/2012

MSDS Number: 000000084992

Version: 1.3

WINDSHIELD WASH CONCENTRATE 16008285

Notification status

EU. EINECS

US. Toxic Substances Control Act

Australia. Industrial Chemical (Notification and Assessment)

Act

Canada. Canadian Environmental Protection Act (CEPA).

y (positive listing)
y (positive listing)
y (positive listing)

Domestic Substances List (DSL). (Can. Gaz. Part II, Vol. 133)

Japan, Kashin-Hou Law List y (positive listing)

Korea. Toxic Chemical Control Law (TCCL) List y (positive listing)
Philippines. The Toxic Substances and Hazardous and Nuclear y (positive listing)

Waste Control Act

China. Inventory of Existing Chemical Substances y (positive listing)

Reportable quantity - Product

US. EPA CERCLA Hazardous Substances (40 CFR 302)

5701 lbs

Reportable quantity-Components

METHANOL

67-56-1

5000 lbs

	HMIS	NFPA
Health	2*	2
Flammability	3	3
Physical hazards	0	
Instability		0
Specific Hazard	-	

16. OTHER INFORMATION

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is current, applicable, and suitable to their circumstances. This MSDS has been prepared by NEXEO's Environmental Health and Safety Department (1-800-325-3751).